
















DUCATI DESERT X (2023-) Crash Bar Accessories List


1  Quantity: 1 piece 581 Left crash bar	2  Quantity: 1 piece 581 Right crash bar	3  Quantity: 1 piece 581 Crash bar connecting rod	4  Quantity: 1 piece 581 Fixed connector	5  Quantity: 2 pieces M8×35 Torque: 20N-m	6  Quantity: 2 pieces M8×20 Torque: 20N-m	7  Quantity: 2 pieces M8×25 Torque: 20N-m
8  Quantity: 1 piece M6×30 Torque: 12N-m	9  Quantity: 2 pieces M6×25 Torque: 10N-m	10  Quantity: 1 piece Outer Diameter: 16mm Inner Diameter: 6.5mm Height: 16mm	11  Quantity: 2 pieces 581 Crash bar nylon sleeve	12  Quantity: 2 pieces M8 Conical aluminum nut	13  Quantity: 6 pieces M8 gaskets	14  Quantity: 3 pieces M6 gaskets
15  Quantity: 2 pieces M6 Lock nut	16  Quantity: 2 pieces Outer Diameter: 22mm Inner Diameter: 14mm Height: 13.9mm	17  Quantity: 2 pieces Outer Diameter: 31mm Inner Diameter: 20mm Height: 15.5mm	18  Quantity: 2 pieces 150×3.6mm Cable tie	19  Quantity: 1 piece Screw glue	 scan the code to watch the installation video	

DUCATI DESERT X (2023-) Crash Bar Installation Diagram






Notes:

1. Please read the installation instructions before installation.
2. When installing each component, do not tighten the fixing screws immediately. After all components are installed, apply a suitable amount of thread locker to each screw, and then tighten all screws. Pay attention to the torque requirements for each screw (refer to the accessory table above).
3. Regularly check the fixing screws of each part.






DUCATI DESERT X (2023-) Crash Bar Installation Instructions 1



Notes:

1. Please read the installation instructions in detail before installation.
2. When installing each component, do not tighten the fixing screws immediately. After all components are installed, apply a suitable amount of thread locker to each screw, and then tighten all screws. Pay attention to the torque requirements for each screw (refer to the accessory table above).
3. Regularly check the fixing screws of each component.

DUCATI DESERT X (2023-) Crash Bar Installation Instructions 2



Notes:

1. Please read the installation instructions in detail before installation.
2. When installing each component, do not tighten the fixing screws immediately. After all components are installed, apply a suitable amount of thread locker to each screw, and then tighten all screws. Pay attention to the torque requirements for each screw (refer to the accessory table above).
3. Regularly check the fixing screws of each component.